



rief

[illegible]

01 rief 000

[illegible]

° Feature

□□□□	□□□□□□□□ Tunnel
□□	□□□□□□□□
□	AMC- □□□□□□
□□	ATY-400□ATY-600□ATY-800□ATY-1000□ATY-1200
□□□□	□□□□
□□□□□□	□□ □□□□□□□□
□□□□	Enrober□□□□□□
Enrober□□	1500□□
□□□□□□□□	□□□□
□□□□□□□□	350550□750□950□1150
□□□□□□□□□□	400,600□800□1000□1200
□□□□	1-3□/□□
□□□□□□□□°C□	0□10□/□□
□□	1800,2300,2800,3600,4000□□
□□	□□□□
□□	220V / 380V/ 420V
□□	7.5KW□12.5□□
□	1□
□	□□
□□□□□□	L * 850 * 1800□L * 940 * 1800□L * 1400 * 1800□L * 1650 * 1800□L * 1800

Advantage

□□□□□□□□□□ **10** □□□□ □□□□ □ □□□□ □□□□

00 000**R0D** &000; 00 000

°C00000000 00 0 00000

ð0 CE0TUV0ISO0AQA00000

000000

F000000 00 000000

0000000 000 00000

00000 0000 0000000000

00 00 000

J.00000

0**enefit**0

- 1.00000000000000000000
- 2.000000R&00; ð0000000000000000
- 3.000000
- 4.0000000
- 5.00000
- 6.00000000
- 7.0000000000
- 8.00000000
- 009.00000



Package0

00000000000000

°**FAQ**0

1

2

2

50T / T 2

3

FAT

4.

5

theround \$ 45
/

