R	rief	Inti	ho	110	tin	n٠
D	HEL	1111.1	OU	11(:	1.1()	11:

the <u>roller conveyor belt</u> have the below advantage:

- 1 Running smoothly, good explosion-proof?
- 2 Large feeding capacity, both high efficiency and energy saving
- 3 Capacity adjustable, motor manual or automatic
- 4 Easy installation, long service life.

Technical parameter:

Model	Gravity Roller Conveyor	Powered Roller Conveyor
Roller Material	SS304/SS201/ Galvanized Steel	SS304/SS201/ Galvanized Steel/ Electric Roller
Frame Material	Aluminum /Carbon Steel/Stainless Steel	Aluminum /Carbon Steel/Stainless Steel
Roller Diameter	25mm,28mm,30mm,35mm,38mm etc.	25mm,28mm,30mm,35mm,38mm etc.
Max Loading Weight	1000KG/M	1000KG/M
Height Adjustable	Yes	Yes
Voltage	/	220V/110V/380V/50 HZ
Delivery Speed	/	As Customized
Motor	/	CPG/SEW
Power	/	350W/750W/1500W
PLC	/	SIEMENS/MITUSUBISH
Frequency Converter	/	SIEMENS
Conveyor System	Can Be Provided	Can Be Provided

Detailed picture:







AMC SYSTEM TECHNOLOGY (SUZHOU) CO., LTD.



AMC was established in 2004, which is a high tech enterprise with a number of patented inventions as well as professional R&D and sales team.

## **Our Partners**



Our partners around the world



Our outdoor activities:

