


high quality chinese [air cooled water chiller](#)

1.parament:

type	compressor	coolig capacity(kcal/h)	Pump flow(t/h)	pumper power(kw)	water tank volume(L)	fan power(KW)	size(L*W*H mm)	weight(KG)	Refrigerant
1	import of closed and semi-closed	2000	1	0.1	40	0.12	600*600*1000	80	R22
1.5		3870	1.25	0.1	60	0.09	600*600*1000	80	R22
2		4140	2	0.37	72	0.12	820*650*1290	120	R22
3		8500	2	0.37	100	0.12	800*700*1250	150	R22
5		12500	4	0.55	140	0.18*2	870*800*1360	180	R22
6		15514	4	0.55	150	0.18*2	870*800*1360	210	R22
8		18900	6	0.75	198	0.18*2	1400*950*1400	300	R22
10		26530	8	0.75	216	0.37*2	1500*980*1400	350	R22
12		30014	8	0.75	230	0.37*2	1550*980*1400	550	R22
15		34500	10	1.5	278	0.37*2	1680*980*1920	610	R22
20		58000	16	2.2	492	0.75*2	1950*1230*1900	750	R22
25		63500	16	2.2	600	0.75*2	2090*1200*2100	800	R22
30		69000	16	3	660	0.75*2	2300*1200*2200	950	R22



2.Advantage for [air cooled water chiller](#):

- 1 Easy installation and no need of cooling tower
- 2 Specations from 5HP-30HP are available

3 Multi-safety protection is adopted to ensure the safety operation of the whole unit

4 Inside wiring, vacuumizing, refrigerant adding and adjusting are finished before shipping

5 Application: raw material of food, cooling of finished products, medical equipments etc.

Our Services

- 1.provdie you OEM/OEM service,and technology supporting for 10years experience.
- 2.quick shippment once you place the order.
- 3.provide you after sales service.
- 4.any feedback received will be dealed in 48hrs.


Packaging & Shipping

- 1.packaging:inner wrap clear membrane,outer with wooden case
- 2.by sea or by express



Our hold activities for [air cooled water chiller](#)

About US



AMC

AMC SYSTEM TECHNOLOGY (SUZHOU) CO., LTD.



AMC was established in 2004, which is a high tech enterprise with a number of patented inventions as well as professional R&D and sales team.