

high quality stainless steel [\*\*\*cooling tunnel chocolate\*\*\*](#)

Type	Air-cooled / Water-cooled
Weight	150Kg/Meter
Capacity	100-2000Kg/Hr
Speed	Adjustable 1~15 M/min
Voltage	220V/380V
Power	10-45KW
Tunnel Temp	0~10°C
Material of Frame	Stainless Steel for <a href="#"><b><i>cooling tunnel chocolate</i></b></a>
Material of Belt	White PU Belt (Food industry)
Application	Food Industrial Cooling
Drive Motor	SEW / CPG 1.1~5.5KW
Compressor	BITZER / COPELAND 5~25 Hp
Condenser	BITZER / COPELAND
Warranty	1 Year for <a href="#"><b><i>cooling tunnel chocolate</i></b></a>
Package	Wooden Case
Holding Time	1~60 min
Control Models	PLC & Touch Panel
Working Temp	-10~10 °C
Common Size	W=1150/1450/1750(mm)



## Advantage:

- a. Specializing in this field for more than 10 years, Have been the Global Supplier of multinational companies.
- b. Have own R&D Dept. & Production Equipment.
- c. A number of Practical Patents in the Energy Saving and Environmental Protection.
- d. CE, TUV, ISO, AQA Certificated.
- e. Nice appearance.
- f. Unique Design for Easy cleaning & Maintenance.
- g. Various of dimensions, customized is available.
- h. Precise temperature control by separated zone used.

## Benefit:

1. Consistency and flexibility.
2. Innovation.
3. Easy Clean and Maintenance.
4. Nice Appearance.
5. Reliability and Service.
6. Energy Saving and Environmental Protection.
7. Precise temperature control.

## Delivery & Payment:

1. Delivery Time:

Within 60 Days upon the receipt of the deposit.

## 2.Terms of payment:

50% T/T in advance, the balance shall be paid before the shipment. The above price is based on current exchange rate, if the exchange rate changed 2%, we cannot keep the price.

## 3.Testing & Training (If you need):

The plant layout design, assembling, installation and debugging, start-up and local team training will be Free at no cost. But the buyer should be responsible for the round-

trip air tickets, local transportation, board & lodging, and USD \$ 45/day/person for the pocket money to our technicians.